




OMIX-ADA, Inc.

460 HORIZON DR. SUITE 100 | SUWANEE, GA 30024 | PHONE: 770-614-6101 | FAX: 770-614-6069 | info@omix-ada.com

Part #11226.30

Renegade Taillight Guard



RH

LH

OMIX-ADA® TECHNICAL SUPPORT

PHONE: M-F 8am - 5pm EST 1-800-449-6649 | **EMAIL:** techsupport@omix-ada.com


FOR WARRANTY INFORMATION VISIT: www.Omix-Ada.com



OMIX-ADA, Inc.

460 HORIZON DR. SUITE 100 | SUWANEE, GA 30024 | PHONE: 770-614-6101 | FAX: 770-614-6069 | info@omix-ada.com

Renegade Taillight Guard



1. Identify Left-Side Guard and Right-Side Guard using pages 3 and 4 as a guide.

2. Clean taillight. Allow to dry completely.

NOTICE Before attaching guard using adhesive promotor, open and close tailgate with guard in place to ensure proper clearancing of guard.

3. Apply adhesive promotor to outer edge of taillight housing.

4. Peel back tape on back of guard and attach guard to taillight.




OMIX-ADA, Inc.

460 HORIZON DR. SUITE 100 | SUWANEE, GA 30024 | PHONE: 770-614-6101 | FAX: 770-614-6069 | info@omix-ada.com

Renegade Taillight Guard

Left-Side Guard





OMIX-ADA, Inc.

460 HORIZON DR. SUITE 100 | SUWANEE, GA 30024 | PHONE: 770-614-6101 | FAX: 770-614-6069 | info@omix-ada.com

Renegade Taillight Guard

Right-Side Guard

