



Installation Instructions

Freedom Mesh Bimini Top Plus, for 2020-Current Ford Bronco 4 Dr Vehicles

Item #8420110X

*Freedom Mesh Bimini Top Plus for 4
Door Bronco Shown*



Part List:

Fabric Mesh Bimini Top Plus QTY 1

Required Tools:

Safety Glasses
Torx driver and bitt (found in Factory supplied tool kit)

⚠ WARNING ⚠ Loss of vehicle control involves risk of death or serious injury, particularly to parts of your body not restrained within vehicle. This product is intended for weather protection only and should not be relied upon to contain occupants in the event of an accident or to protect from either ground contact or falling objects. To reduce risk of accident or injury:

- ALWAYS WEAR SEATBELTS
- Always keep head, arms & body parts within vehicle.
- Fully secure or stow the soft top before driving according to instructions. Never try to latch or fold soft top while driving. Do not use if damaged or worn.
- Read and follow all instructions & warnings accompanying this product, in your vehicle owner's manual and Off Road Driving Supplement.

⚠ CAUTION ⚠ RISK OF EYE INJURY. Safety glasses should be worn at all times while installing or maintaining this product.



Important Safety information

Your MasterTop® Freedom Mesh Bimini Top Plus is intended to increase the fair weather enjoyment of your off-road capable vehicle. Before installation, please take a moment to review the following safety information and installation instructions. Important safety information is generally preceded by one of three signal words indicating the relative risk of injury. The signal words mean:

WARNING A hazardous situation which, if not avoided, could result in death or serious injury. You **CAN** be **KILLED** or **SERIOUSLY HURT** if you don't follow instructions.

CAUTION A hazardous situation which, if not avoided, could result in minor or moderate injury. You **CAN** be moderately **HURT** and also may suffer property damage if you don't follow instructions.

NOTICE Careful attention is required to this instruction or operation but does generally not relate to personal injury. Damage to your MasterTop® product or other property may result if you don't follow instructions.


Before you begin Installation:

We are excited that you have chosen the MasterTop Freedom Mesh Bimini Top Plus. These high quality tops are designed to enhance your fair weather driving pleasure while providing needed shade while driving in the hot sun. Please note that it is important that you become familiar with the installation process of this top by reading the following instruction sheet and warnings thoroughly. Though we use only the finest materials in creating this top, any product that is exposed to the elements requires some general maintenance to keep it looking like new. Please see page 5 for these important maintenance tips. Please also note that it is normal for the mesh fabric to contract and wrinkle when stored in the shipping carton. In a few days the fabric will relax and wrinkles will disappear.

When unpacking, carefully check to make sure all parts are included. If any part is missing or broken, please call MasterTop customer service at 720-575-5440. When unpacking, check to make sure all parts are included.

IMPORTANT Instruction Sheet Strap Installation Note:

Installing the MasterTop® Freedom Mesh Bimini Top Plus entails the wrapping of nylon webbing around several locations on your factory installed sport bar. In order to simplify the installation process, the following instructions show the general location of these straps and may not match exactly to the model you purchased. In all cases, the straps are to be wrapped around the sport bar and not around the door surround hardware unless noted.



Threading Straps through Buckles:






Throughout the installation, you will need to thread webbing straps through buckles several times. Please review the picture for correct strap routing through the buckles. As a rule of thumb, run the strap below and through the sewn side of the buckle first and then back down through the end of the buckle. Tighten the strap by simply pulling the exposed webbing after threading the strap through the buckle.

NOTICE

Remove your factory hard or soft top before installation. For those vehicles with a factory soft top, you will **NOT** be using your factory soft top header for this installation.



Installation of Freedom Mesh Bimini Top Plus for Bronco



Step 1: Attach to Windshield

Put on safety glasses.

After removing your hard top or soft top, drape the mesh fabric over the top of your Bronco with the hook end of the straps to the front.

Pull the strap to the front and hook to the windshield (FIG1). There are 2 center windshield hook straps total. See Fig 2. Locate the front two windshield Header straps attached to the top front buckles

Using the ratchet and torx 1P50 included in the factory provided Bronco tool kit, remove the torx bolt located on the side windshield header (FIG 3) and place it through the webbing hole in the Front windshield header straps. Re-install the torx bolt as shown in fig. 4.

Once the strap is secure to the windshield header attach the front side buckle and tighten. See fig. 5

Repeat on the other side.

Step 2: Attach Front Side Section Straps

After securing the front of the Bimini Top Plus to the front of the Bronco, Locate the two side front straps with hooks. See FIG 6.


Pull the short strap over the vehicle frame and hook each straps into the exposed/opening hole on the front side of the door frame (Fig 7)

Pull the end of the strap to tighten securely. (FIG 8

Repeat on the other side.




Installation of Freedom Mesh Bimini Top Plus for Bronco



Step 3: Secure Center Side & B-Pillar Straps

Locate the 2 hook straps each side of the freedom mesh top (FIG 9).

Hook the short straps, adjust to secure and tighten as shown in fig. 10 & 11.



Repeat on the other side.



Locate the rear side straps, wrap around the B-Pillar and thread into the buckles. See FIG's. 12, 13 & 14.



Tighten the straps while making sure the top is centered on the vehicle.




Notice in FIG 14 how the center straps wrap around the "B-Pillar" on 4 Dr Bronco.

Step 4: Secure Rear Straps

Locate the rear corner straps, wrap the straps around the roll bar leg, thread the end of the strap through the buckle and tighten. Repeat on the other side of the vehicle making sure the top is centered and the straps are towards the front of the Speaker as shown in FIG 15. See FIG's. 15, 16 & 17.



Using your Mesh Top: Your mesh top has cutouts for attaching the factory Top panels back on the vehicle, after placing the Top panels on the vehicle, slip your hand through the cutouts to secure the panels to the vehicle. Note that for the outside panel latches it may be easier to reach around the fabric to install the panels.



Care and Maintenance of your MasterTop Freedom Mesh Bimini Top Plus for Bronco:

Your MasterTop Mesh Bimini Top, Bimini Top Plus is made of the finest materials available but to keep it looking new and for the maximum possible wear, it will need periodic cleaning and basic maintenance. The main threat to your soft top is pollutants, dirt and grime. By keeping your top clean you will prolong the life of your top.

We recommend the following to keep your top like new

Washing:

The top fabric should be washed often using a mild soap, warm water and a soft bristle brush. You can also use special soft top cleaners available on our Distributors websites. Make sure that after cleaning you rinse with clear water to remove all traces of soap to avoid residue. Hang to dry, do not put a Mesh Top in a clothes dryer.

For more information on MasterTop:

This and other helpful product information is available on www.mastertop.com
Please visit our website frequently for product updates and exciting news.





Limited 3 Year Warranty

Your MasterTop® accessory is covered by the following Limited Warranty provided exclusively by MasterTop, Inc., 420 J Corporate Circle, Golden, CO 80401.

This Limited Warranty is the only warranty made in connection with your purchase. MasterTop neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or Limited Warranty. This Limited Warranty does not apply and is not cumulative to any accessory or part distributed by any MasterTop distributor for which the Manufacturer provides a separate written warranty.

What is Covered: Subject to the terms, exclusions and limitations herein and with respect only to MasterTop branded accessories first sold in the United States, MasterTop warrants to the initial retail purchaser only that your MasterTop accessory shall be free of defects in material and workmanship; **for a period of 3 years from date of initial retail sale.**

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is **limited to 3 years from date of initial retail sale.** MasterTop reserves the rights to: (a.) require invoice or other proof your product is within the terms of this Limited Warranty as a condition of warranty service and, (b.) make future revisions to this product and Limited Warranty without prior notice or obligation to upgrade your product.

What is Not Covered: Your MasterTop Limited Warranty does not cover products or parts MasterTop determines to have been damaged by or subjected to: (a.) installation damage, alteration, modification, failure to maintain or attempted repair or service by anyone not authorized by MasterTop, (b.) normal wear and tear, cosmetic damage or damage from water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage, (e.) fleet, rental or commercial use, (f.) use in competition or racing.

Remedy Limited to Repair/Replacement: The exclusive remedy provided hereunder shall, upon MasterTop inspection and at MasterTop's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty. Customers requesting warranty consideration on MasterTop Products should first contact MasterTop to obtain a RGA number (720-575-5440). All labor, removal, shipping and installation costs are customer's responsibility.

Other Limitations - Exclusion of Damages - Your Rights Under State Law:

In consideration of the purchase price paid, neither MasterTop nor any independent MasterTop distributor /licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This Limited Warranty gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

© MasterTop, Inc. 2022. All Rights Reserved. The terms MasterTop® and MasterTwill® are Registered Trademarks of MasterTop Incorporated, Registered in U.S. Patent and Trademark Office.

www.MasterTop.com

Part # 941077.01 Version 3.21.22 LTR

