

## ⚠️ WARNING ⚠️

TO REDUCE RISK OF SERIOUS INJURY OR PROPERTY DAMAGE: READ ALL SAFETY MESSAGES AND UNDERSTAND ALL INSTRUCTIONS AND PROCEDURE NOTICES BEFORE ATTEMPTING TO INSTALL OR USE THIS PRODUCT.

## ⚠️ CAUTION ⚠️

RISK OF EYE INJURY! SAFETY GLASSES MUST BE WORN AT ALL TIMES WHILE INSTALLING OR MAINTAINING THIS PRODUCT. DO NOT USE IF DAMAGED.

## NOTICE

TWO (2) PERSONS REQUIRED FOR INSTALL. FAILURE TO INSTALL WITH TWO (2) PERSONS MAY RESULT IN DAMAGE TO THIS PRODUCT.

## NOTICE

AFTER INSTALLING, WAIT 24 HOURS BEFORE DRIVING VEHICLE.



## PARTS LIST

Install Kit:

- Windshield Gard Film - (x1)
- Teflon Hard Card/Wet Edge Squeegee (Used to seal edges)
- Squeegee (Used to clean glass and smooth out film)
- White Scrub Pad
- ClearX HD Treatment



## REQUIRED TOOLS

- Safety Glasses
- Powder-Free Gloves
- Unscented Baby Shampoo
- Distilled Water
- 16oz Spray Bottle
- Micro Fiber Cloth - (x2)
- Razor Blade
- Heat Gun or Hair Dryer

### \*Note

- Be sure that your work environment is clean and dust free.
- Two (2) persons required for install.

## STEP 1

FIG 1



FIG 2




Put on safety glasses and use gloves throughout this process. (You may need more than one set of gloves.) Use a razor blade to scrape any/all residue from windshield. (Fig 1) Make cleaning solution by adding 4-5 drops of unscented baby shampoo to distilled water in 16oz bottle. Apply an ample amount to windshield. (Fig 2)



## STEP 2

FIG 3



Make sure the wipers are pulled back from the glass. Using the white scrub pad along with the cleaning solution, thoroughly clean windshield. (Fig 3) Also clean the columns and roof near the windshield. If windshield has a ceramic coating on it, use a 91% isopropyl alcohol solution and a different white scrub pad to remove the coating. The squeegee should be used to dry the windshield after cleaning.

## STEP 3

FIG 4




Rewash the windshield with cleaning solution. (Fig 4) The squeegee should be used to dry the windshield after cleaning.

## STEP 4

FIG 5



FIG 6



Before removing protective backing from film, thoroughly wet windshield with soap solution and do a wet-check to ensure fitment. You should be able to easily move film on the windshield. If film is not able to move easily, add one more drop of baby shampoo to spray bottle and re-spray. (Fig 5) Once confirming fitment, spray and peel back protective coating and apply film's inner side (adhesive side) to the windshield. (Fig 6) Note: Be sure not to crease or allow anything to come into contact with film's adhesive side.



## STEP 5

FIG 7



FIG 8



Keeping both the windshield and gloves heavily saturated with solution, place film on windshield with two people holding the corners. (Fig 7) Using the squeegee and starting in the center, anchor film to windshield. Spray the surface of the film with the solution to keep wet. Continue to work toward the edges of the windshield pushing bubbles out from in between glass and film. (Fig 8) It is recommended that 3-4 passes are made in a cross-hatch pattern (vertical and horizontal passes) to remove bubbles from beneath film.

## STEP 6

FIG 9



FIG 10



With a hair dryer, warm edges of the film and keep hair dryer moving to avoid burning film or vehicle's weather proofing seal. Using the blue wet edge squeegee and firm pressure, remove any remaining bubbles from around edges of the windshield. Ensure that the edges are sealed. By keeping the film wet with the solution, it can be adjusted into place. (Fig 9) Using supplied ClearX HD Treatment, apply several drops onto a micro fiber cloth and coat the windshield/film thoroughly and allow to haze over. (Approx. 15min) Once hazed/dry, wipe clean with second micro fiber cloth. (Fig 10)

## COMPLETE



**After care Instructions:** Allow film to set without driving for 24hrs. Give film a couple of days to cure before taking the vehicle into a challenging environment. Do not wash vehicle for one week in order to allow the film to properly set.

# TACTIK® Exclusive One Year Limited Warranty

Your TACTIK® branded accessories are covered by the following Limited Warranty provided exclusively by TACTIK® located at 1028 Saunders Lane, West Chester PA 19380.

This **Limited Warranty** is the only warranty made in connection with your purchase. TACTIK® neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or **Limited Warranty**.

**What is Covered:** Subject to the terms, exclusions and limitations herein and with respect only to TACTIK® branded accessories first sold in the United States, TACTIK® warrants to the initial retail purchaser only that your TACTIK® accessory shall be free of defects in material and workmanship: **for a period of one (1) year from date of retail purchase.**

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the TACTIK® accessory is installed or other transfer third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 1 year from date of initial retail sale. TACTIK® reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this **Limited Warranty** as a condition of warranty service and, (b.) make future revisions to this product and **Limited Warranty** without prior notice or obligation to upgrade your product.

#### **What is Not Covered:**

Your TACTIK® **Limited Warranty** does not cover products or parts TACTIK® determines to have been damaged by or subjected to: (a.) installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.

**Remedy Limited to Repair/Replacement:** The exclusive remedy provided hereunder shall, upon TACTIK® inspection and at TACTIK's option, be either repair or replacement of product or parts (new or refurbished) covered under this **Limited Warranty**. Customers requesting warranty consideration should first contact TACTIK® to obtain a RGA number via telephone at 800-603-4064, or initiate customer service by email at: [customerservice@tactik4x4.com](mailto:customerservice@tactik4x4.com). All labor, removal, shipping and installation costs are customer's responsibility.

#### **Other Limitations - Exclusion of Damages - Your Rights Under State Law:**

In consideration of the purchase price paid, neither TACTIK® nor any independent TACTIK® distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©TACTIK® 2021 All Rights Reserved. A4 Version 6/13/2022  
Instructions Part Number: 12999-3267